

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Seminis Hegetable Seeds, Inc.

MICCENS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT. THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT (S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT (S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR ORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT OR BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

PEPPER

'SBY281125'

In Testimonn Microst, I have hereunto set my hand and caused the seal of the Plant Bariety Frotection Office to be affixed at the City of Washington, D.C. this third day of November, in the year two thousand and six.

Allaste

Jan John

Commissioner Plant Variety Protection Office Agricultural Marketing Service of Agriculture

The owners declare that a viable sample of basic seed of the variety has been furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate.

The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Owner(s) is(are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF OWNER SIGNATURE OF OWNER NAME (Please print or type) NAME (Please print or type) Sharen Chaffin CAPACITY OR TITLE CAPACITY OR TITLE DATE IP Specialist 6-25-04

ST-470 (02-10-2003) designed by the Plant Variety Protection Office using V

(See reverse for instructions and information collection burden state

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

> **Plant Variety Protection Office** Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

ITEM

18a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- the details of subsequent stages of selection and multiplication;

evidence of uniformity and stability; and

- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

SALES: CA 9/1/03; US 7/10/03

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

EU: PBR No. 2003/1790 -- filed 10/3/03

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/isg/seed.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.0 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and USDA is an equal opportunity provider and employer.

(02-10-2003) designed by the Plant Variety Protection Office with Word 2000. Replaces former versions of ST-470, which are obsolete.

Exhibit A – PVP application for Pepper SBY 28-1125

Origin and Breeding History of Pepper SBY 28-1125

The development of SBY 28-1125 started in the greenhouses of the Seminis breeding station in El Ejido (Spain) in 1994. In the R&D variety screening, a plant selection was made of the F1-variety Cadia (Enza Zaden).

In 1995, the selection was continued in the greenhouses at the Seminis breeding station in Honselersdijk, the Netherlands. The Seminis greenhouses in the Netherlands are heated glasshouses, plants are grown on rock wool slabs and the windows are covered with insect-proof netting. In these greenhouses, two crops per year are grown, so two selection cycles can be organized per year.

From the period 1995 - 1998, during the F2 till F7 generations, individual plant selections were made until bulking. The single plant selections were based on self-pollinated plants.

The most important selection criteria were:

- Tobamo virus resistance
- fruit setting potential
- open plant type
- fruit size, shape and uniformity

We used the pathotype P1.2 of Tobamovirus in our resistance screenings. SBY281125 has the L3 (TMV) resistance gene; the presence can be checked using the pathotype P1.2 in the TMV resistance screenings. The L3 gene gives resistance to pathotypes P0, P1 and P1.2 of the five Tobamoviruses:

Tobacco Mosaic Virus (TMV) - pathotype P0
Tomato Mosaic Virus (ToMV) - pathotype P0, P1 or P1.2
Tobacco Mild Green Mosaic Virus (TMGMV) - pathotype P0 or P1,
Pepper Mild Mottle Virus (PMMV) - pathotype P1.2 or P1.2.3
Bell Pepper Mottle Virus (BPeMV) - pathotype P0

The L3 resistance gene gives resistance to all these tobamoviruses except pathotype 1.2.3 of PMMV.

In 1998, the selection was finished at the F8 generation. The seeds of a group of 10 F8 plants were bulked. These seeds were used as source of SBY 28-1125 and delivered to the Foundation Seed department of Seminis.

The stability of SBY 28-1125 was again checked via grow-outs organized by the Foundation Seed and Stock Seed units. SBY 28-1125 was determined to be uniform and stable within commercially acceptable limits. As is true with other peppers, a small percentage of variants can occur within commercially acceptable limits for almost any characteristic during the course of repeated multiplication. No variants are known to occur, and to date this variety has been observed to be completely uniform and stable for 3 generations.

REVISED – May 2006

Exhibit B – PVP application for Pepper SBY281125 (BN: 149075)


Novelty Statement of Pepper SBY281125

SBY281125 is blocky bell type pepper, maturing from green to yellow.


To our knowledge, the variety most closely resembling SBY281125 is the variety Cadia (of Enza Zaden).

The comparative characteristics that best distinguish the two include, but are not limited to:

• SBY281125 has a more compact plant than Cadia. Refer to Photos 1 and 2:







• SBY281125 has more ribbed fruits than Cadia. Refer to Photos 3, 4 and 5:






PHOTO 5: CADIA VS. SBY281125 VS. BOSSANOVA



Page 2 of 3

SBY281125 has a medium green leaf color (RHS 134A) compared to Cadia which has a dark green leaf color (RHS 136A).
 Refer to Photo 6.





- SBY281125 has a light leaf and stem pubescence compared to Cadia which has absence of leaf and stem pubescence.
- SBY281125 has a very weak margin undulation compared to Cadia which has a medium margin undulation. Refer also to Photos 1 & 2.
- SBY281125 has a moderate anthocyanin coloration on the seedling hypocotyl compared to Cadia which has a strong anthocyanin coloration on the seedling hypocotyl.

REVISED 8-May-2006

FORM SD-470-56 (1-07-2009)	United States Department of Agriculture, Agriculture Plant Variety Protection Of National Agricultural Library British Bellaville, MO 20705		ЕХНЮТ (Реррг	
	OBJECTIVE DESCRIPTION	OF VARIETY		
Seminis Vegetable Seeds, In 2700 Camino del Sol	Experimental or	Temporary Designation	Variaty Name SBY 28-1124	
Oxnard, CA 93030-7967			PVPG Number 2004 0025 8	
in the left column, plane the appropriate number that describes the vi- comparison variety. Right justify whole numbers by adding leading z	priotel characters typical of this variety in the space eroes if necessary. Completeness should be strive	is below. In the right column, use in for to establish an adoquate va	the same procedure to describe the most similar may description.	
COMPARISON VARIETIES: Use the most similar variety (in become Asshaim Chill Cayenna Long Jelapena Maxican Chill Sweat Cherry Tabasca	ound and maturity) to make comparisons, based or Red Cubenolis Pimianto Pariscilon Yolo Wonder L	aide-by-sida grow-out trial data. Fiorat Gerr Serrano Other (specify)	Suggested comparison varieties include : Habanero Swedt Bengne	
Location of Test Area Rock of on an	● C. baccatum 4 ■ C. chinense	Species (Species (Species Comparison Variety S	ismo Yoko Wonder	
2. MATURITY (In Region of Sees Adaptability): 2. Days from transplanting until mature green 2. Q. Days from transplanting until mature green 3. Q. Days from direct seeding until mature green 4. Q. Days from direct seeding until mature and o	'yollow stage .	1 2 4 Day	es from transplanting until mature green stage is from uznaplanting until mature red or yellow stage is from direct seeding until mature green stage is from direct seeding until mature red or yellow stage	
4*Ciher	Semi-spreading 3=Spreading		ecify If choice Is 4	
140.0 cm Plant Height	***************************************	120.00		
Q. 4. Q. cm Plant Width			230.0 cm Plant Width	
22.0 cm Length of Stem from Colyledons to First Flo 0.30.0 mm Length of Third Internade (from sall surface		a31.00	2. 3.1. Q cm Langth of Sterri Cotyledons to First Flower	
7 Republishment		l .	2 2 Omm Longth of Third Internode (from soil surface)	
2. Branch Flexibility: 1=Willowy (Cayenna Long Red) 2=Rigid (Yolo Wander)			2_ Branch Frexibility	
2 Stem Strongth (Broakage Resistance): 1=V	Yeak 2≃intermediate 3=Strong	1	1 Stem Strength (Braskage Resistance)	
LEAVES:				
13. C. O rom Leef Width	\wedge	1120	Total Mark	
Zar II. Q. myn Loef Langth		2-150		
1 1 Q mm Periole Length	\vee		m Pellola Langih	
2 Máturo Leaf Shape: ficlanceolate 2 Lasf Color: 1=Ught Green 2=Medium Green	2+Elliptic	_Z_ Mature Leaf St	appo	
5=Other (apecity)	3-Dark Green 4# Purple	Leaf Color (Sp.	edify if choice is 5	
Color Chart Name IX VIS	_ Code	Code 139	A	
Leaf and Stem Pubescunce: 1=Absort (Yelo W 3=Moderate (Sem	/onder t.) 2=Light Bho) 4=Neavy (Chili Piquin)	Lear and Stem (Pubascanca	
7 Mergin Undulation: 1=Absent 2=V, Week 3=Weak		4_ Mergin Undulat	ron .	
Bistering: 1-Absort 2-Very Weak 3-Weak				

2004 00258

Application variety Date 2	Comparison Variety D
2	Number of Flowers per Leaf Axil Number of Callyx Labes Number of Petals L. Q. myn Flower Diameter Corolla Cotor (Specify If choice is 3 L. Carolla Throat Mankings (Epecify If choice is 3 Anther Color (Specify If choice is 3 Style Length Sett Incompetibility
Onup: 1 **Bell (Yold Wonder L) 2 **Pirment of Princeton Perfection) 3 **Ancho (Pirmento Perfection) 4 **Ansholm Chill (Sandia) 5 **Coyonno (Cayronne Long Red) 6 **Coyonno (Cayronne Long Red) 6 **Coyonno (Jalapeno) 8 **Small Hot (Serrano) 10 **Short Wax (Florat Gam) 11 **Long Wax (Sweet Bahana) 12 **Tabasco (Tabasco) 13 **Habartero (Scotch Bonnet) 14 **Other**	O Fruit Group (Specify if charice is 14
Invasture Fruit Color: 1 **Light Green (Cubanella) 2 **Medium Graen (Long Thin Cayenne) 3 **Dark Green (Yolo Wonder L) 4 **Very Dark Green (Ancho Chill) Color Chart Name Code S **Vallow (Yellow Baile) 6 **Purple (Violetta) 7 **Ivory (Twisgy) 8 **Other* Code	2_ invitative Fruit Color (Specify if choice is 8) Code 144 A
Mature Fruit Color: 1=Red (Yola Wonder L) 2=Orange 3=Orange-Yallow (Golden Celwander) 4=Brown (Mutatio) Color Charl Name RIS Code Selvory 6=Grad (Permagreen) 7=Salmon 8=Lemon Yellow 9=Other	Matura Fruit Color (Specify If choice is 9
Pungency: 1-Sweet (Yolo Wander L) 2-Hot (Jalapene) mg Capealcin per gram dry fruit	Code 76 D
Flavor: 1=Mild Pepper Flavor Z=Moderate Pepper Flavor 3=Strong Pepper Flavor 4=Other	The Capable in per gram dry (rult) Scoville Units (dry (rult) Flavor (Specify If choice is 4
2 Fruit Glossiness: 1=Bull 2=Moderate 3 <shiny (long="" (yalo="" 1="Bmooth" 2="Rough" cayanne)<="" l)="" smoothness:="" surface="" td="" thin="" wonder=""><td>7 Fruit Glassiness</td></shiny>	7 Fruit Glassiness
FAULt Position: 1=Upright (Santaks) Z=Nortzontal 3=Pendent (Jalapeno) Calyx Shape: 1=Cup-shaped (Enveloping Fruit Base) Z=Saucanahaped (Fial, Non-Enveloping)	1 Surface Smoothness 2 Fruit Position 2 Catyx Shape
Saucer-shape Cupped	
2 1 . Imm Calyx Diameter 2 0 2 0 . Q mm Fruit Length 0 2 5 mm Fruit Diameter at Calyx Allochment	A 3 L. Q mm Calyx Diameter A 9 L. Q mm Fruit Diameter
C. J. Committees at Mid-point C. C. J. Somm Flesh Thickness at Mid-point C. J. Average Number of Fruits pur Plant	2.2.2 mm Fruit Dismeter at Mid-point 2.2.2 mm Fruit Clameter at Mid-point 2.2.3 mm Flean Thickness at Mid-point
2 1 0 % Large Fruits (Weight Range: 310 to 3.50) 1 8 0 % Medium Fruits (Weight Range: 700 to 3.10)	L Q . 1 Average Number of Fruits per Plant
21 - Q % Small Fruits (Weight Range: 16 1 10 200) 1- 5 9 - 0 gm Average Fruit Weight	2 A A B gm Average Fruit Weight

2004 00258

withingou Adulia Dele	3	Companson Variety Da
5. FRUIT (continued) ;		
Fruit Base Shape: 1=Cupped (Yold Wonder L) 2=Rounded (Jalapeno)	~G.R 111 1	Fruit Base Shepe
Fruit Apex Shape: 1 Pointed (Long Thin Cayonne) 2=Blunt (Volo Wonder L)	Cupped Rounded Pointed Blunt	2_ Fruit Apex Shape
Fruit Shape: 1=Bell (Yolo Wonder L) 3=Elongate (Long Thin Cayenne) 6=Obiate (Sunnycrock)	2=Conical (Pirrienio) 4=Opiong (Jelapeno) 6=Globe (Red Cherry) 7=Other	Fruit Shape (Specify If choice is 7)
Fruit Shape (Longludinal Socion, see allached pictures): 1=Flattened 2-Round 5=Rectangular 6=Trapezoid 9=torn-shaped	3eMean-shapod 4eSquaro 7eNamow Thangular 8=Thangular	4_ Fruit Shape (Longitudinal Section)
Florence Barrang-lav Powerful Branch Triangular Triangular Homologists	Transplate Transplate Transplate Coverable	
Fruit Shape (Cross Section, at Level of Placenta); 1=Elliptic 2=Triangular	3=Quadrangular 4=Circular	Fruit Shape (Cross Section)
Fruit Set: 1 Secretered 2 Concentrated		Fruit Sei
interloculary Grooves: 1=Absent 2=Very S 4=Medium 5=Dccp	hellow 3=Shellow 5=Very Deep	Interfaculary Granvas
QQQQ 4 Fruits with one locule	,	QQQQ % Faults with one Locale
all. & Fruits with two locales		216.2% Fruits with two Locules
Q		616.0% Fruits with three locales
ときた。 (* Fruits with four locules		2 12.0% Fruits with four locales
Q Q Q S Fruits with five or more locules		QQ % Fruits with five or more locates
3. D DAverage Number of Locules	·	Y Q Average Number of Locules
O. S. Orem Pedicel Longth	,	Q. 40. Omm Pedical Length
A L Smrn Pedicel Thickness		Q 1 S. Qmm Pedicai Thickness
		2 Pedical Shape
Podicel Cavity: 1=Absort 2=Present		2 Pedical Cavily
L.3. Smrn Depth of Podice: Savity		0. 4. Qmm Depth of Fadice! Cavity
7. SEED :		
GO Y O mm Seed Cavity Length		C.O. Cemm Seed Cavity Length
Q. Q. L. Qmm Seed Cavity Diameter		· • • • • • • • • • • • • • • • • • • •
△ 3 2. 5 mm Placenta Length	·	2.21.2 mm Seed Cavity Oramoler 2.31.2 mm Piscents Length
2_9_1 Number of Seeds per Fruit		3.2 Number of Saads per Fruit
LO. 3 gm per 1000 Seeds		LL Tom par 1000 Soods
Seed Color: 1=Yellow Z=Purple	ļ	Seed Color
q. ANTHOCYANIN (1 = Absent; 2 = Weak; 3 = Moderate; 4 = Strong);		
Seedling Hypocony		
Stem	ļ	3 Hypacolyi
2 _m Node	İ	Siem
L hoar	1	3 Node
1 Pedicel	1	Leaf
Calya		Podicel
→ Fruit		Celyx
		Fruit

Application Variety Date

Comparison Variety Data

oisease resistance (Rate from 4 (most susceptible) to 9 (most recietant); leave blank : A. Vinzee:	1	
Curly Top Virus Curly Top Virus Pepper Moille Virus Potato Y Virus Tobacco Elch Virus Tobacco Mosaic Virus	Cutumber Moseic Virus Curly Top Virus Petato Y Virus D Tobecco Eich Virus Tobacco Mosaic Virus	:
2 Anthrachoze (Gheosparium piperatum) 2 Anthrachoze (Gheosparium piperatum) 2 Bacterial Spot (Xanthomonas vestcetoria) 2 Corcospara Leaf Spot (Corcospara capsio) 3 Namatode (Mahidogyne incognite soriia) 4 Phytophthore Root Rot (Phytophthora capsio) 5 Ripe Rot (Vernicularis capsio) 6 Southern Blight (Scientium ratsii) 7 Verticillium Will (Verticilium dahilas) 7 Other (Specify)	Anthracrose Becerial Spot Cercosporal Last Spot Normalodo Physiophthoral Root Rot Ripe Rot Southern Blight Vartcillium With Other (Specify)	·

REPRODUCE LOCALLY. Include form number and edition date on all	reproductions.	ORM APPROVED - OMB No. 0581-0055		
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). The information is held confidential until the certificate is issued (7 U.S.C. 2426).			
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME		
Seminis Vegetable Seeds, Inc.	OR EXPERIMENTAL NUMBER	SBY281125		
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (Include area code)		
2700 Camino del Sol Oxnard, CA 93030-7967	(805) 647-1572	(805) 918-2545		
Oxhaid, CA 93030-7907	7. PVPO NUMBER			
		2004 00258		
8. Does the applicant own all rights to the variety? Mark an "X" in the	l e appropriate block. If no, please expla	in. YES NO		
		Remod Lemma		
9. Is the applicant (individual or company) a U.S. national or a U.S. ba	ased company? If no, give name of co	ountry. YES NO		
10. Is the applicant the original owner? YES	NO If no, please answer one	of the following:		
a. If the original rights to variety were owned by individual(s), is (a YES b. If the original rights to variety were owned by a company(ies), YES YES	NO If no, give name of count	ry sed company?		
11. Additional explanation on ownership (Trace ownership from original	al breeder to current owner. Use the re	verse for extra space if needed):		
The variety named in the application was developed by the Semini between employee and Seminis Vegetable Seeds, Inc., all rights to assigned to the Company. No rights to such an invention, discover	any invention, discovery, or developm	nent made by an employee are		
Employee (Breeder): Jurko Leij				
Site Location: Honselersdijk, Netherlands				
PLEASE NOTE:				
Plant variety protection can only be afforded to the owners (not license	ees) who meet the following criteria:			
If the rights to the variety are owned by the original breeder, that per national of a country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals.	rson must be a U.S. national, national o the U.S. for the same genus and specie	f a UPOV member country, or		
 If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species. 				
3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.				
The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.				

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.